	Application No.	Applicant(s)
Notice of Allowability	10/677,612	MOYER ET AL.
	Examiner	Art Unit
	Haissa Philogene	2828
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to application filed 10/02/03.		
2. The allowed claim(s) is/are 1-13.		
3. The drawings filed on 27 May 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 10/02/03 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	e <u>ዋ/ఎገ/ጋ</u> ሃ.
	•	Haissa Philogene Primary Examiner Mai As U. 2821 6 9

Art Unit: 2828

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Chun M. Ng on September 27, 2004.

The application has been amended as follows:

In claim 1, line 1, "the" before "phase relationship" has been changed to -a--.

In claim 5, line 5, "the" before "phase relationship" has been changed to -a--; and in lines 8-9, "said keeping" has been deleted.

In claim 9, line 4, "the" before "phase relationship" has been changed to -a--.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The prior art fails to disclose an apparatus and method for driving a lamp having a phase comparator circuit that can monitor a phase relationship between a voltage across said primary of said transformer and a current through said primary of said transformer; and a frequency control circuit for adjusting the inverter frequency such that said phase relationship between said voltage across said primary of said transformer and said current through said primary of said transformer is maintained at substantially a predetermined relationship (claims 1, 5 and 9). The remaining claims 2-4, 6-8 and 10-13

Art Unit: 2828

are allowed by virtue of their dependencies on the independent claims. Hence, the examiner has allowed claims 1 through 13.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Fellows et al., Patent No. 4,952,849; Moyer, Patent No. 6,683,422; Henry, Patent No. 5,930,121; Gradzki et al., Patent No. 6,011,360; Shannon et al., Patent No. 6,114,814; Kates et al., Patent No. 6,108,215; Mackenzie et al., Patent No. 4,085,300.

None of the above patents discloses the recited limitation "monitoring a phase relationship between a voltage across a primary of a transformer and a current through said primary of said transformer and said phase relationship being maintained at substantially a predetermined relationship or being substantially in phase".

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Haissa Philogene whose telephone number is (571) 272-1827. The examiner can normally be reached on 6:30 A.M.-6:00 P.M..

Art Unit: 2828

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MinSun Harvey can be reached on (571) 272-1835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

hp

Haissa Philogene